

Don't forget to keep in touch on Social Media!



CLIPACORE®

m. 07918 487132

e. enquiries@clipacore.com

w. clipacore.com

Delivery charges may apply for certain orders.

Always refer to our website disclaimer for each product before use, to ensure you experience optimum performance when used correctly.

Prices displayed are correct at time of print but may change without prior notice. VAT is charged extra at the prevailing rate.


Multi Award Winning Products



brochure design by  luketom.com

CLIPACORE®

product catalogue




Multi Award Winning Products



ClipaCore - **Clipacore Product Selector & Benefits**Pages 2 - 5
 ClipaCore - **Xpresscut Pro**Pages 6 - 7
 ClipaCore - **Duocut**.....Page 8
 ClipaCore - **Chuckaway**.....Page 9
 ClipaCore - **Xpresscut**..... Pages 10 - 11

ClipaCore - **Condensemate** .. Pages 12 - 13
 ClipaCore - **The Boss Drill** Pages 14 - 15
 ClipaCore - **Safety Gloves**Page 16
 ClipaCore - **Xpresscut Micro**Page 17
 ClipaCore - **Fluemate** Page 18 - 19



The Benefits

- No tools needed
- Protects hands from injury
- Prevents damage to expensive core drilling equipment
- Improves work flow efficiency
- Machined from Great British High tensile steel, built to last
- Converts your existing core bits, core drills, HEX and SDS arbors and extension bars into quick release
- Removes the need for a chuck or chuck key and converts to quick release.

The **ClipaCore** release system provides consistent results quickly! Our easy to use design requires no spanners or excessive force compared to current techniques.

We have taken away the frustration from components locking up tight due to torque tension, leading to damage.

The improved work flow efficiency makes this an essential drilling tool within your toolbox armoury!




scan me

Clipacore Quick Release System

CLIPACORE®

Knock-out tool for easy waste removal.

Hammering and denting core bits with a hammer promotes the drill to "kick back"!



EASY CORE
WASTE REMOVAL



PREVENTS THREADS
LOCKING UP



NO MORE
SPANNERS



IMPROVES WORK
FLOW EFFICIENCY




The quantity of additional core adaptors depends on the quantity of core bits required to convert to quick release!




SDS Driver
(sold separately).



HEX Driver
(sold separately).



ClipaCore Parts



1. 1/2" drill adaptor
2. Quick release clip
3. 1/2" core bit/extension thread
4. Tapered guide pin/tapered drill aperture
5. Drift key aperture
6. Quick release clip apertures

CODE	DESCRIPTION	RRP ExVAT
QCCA	Core Adaptor FITS ONTO YOUR EXISTING CORE BITS OR EXTENSION BARS	£15.99
QCDA	Drill Adaptor FITS ONTO YOUR EXISTING SDS, HEX ARBORS OR EXTENSION BARS	£13.99
QCQRC	Quick Release Clips (5 Pack)	£15.99
QCKOT	Knock Out Tool	£13.99
QCHEX	HEX Driver	£24.99
QCSDS	SDS Driver	£26.99

**The
CLIP
RELEASE
Revolution**



scan me

For more details go to...

www.clipacore.com
enquiries@clipacore.com

Don't forget to keep in
touch on Social Media!



CLIPACORE®

XPRESSCUT PRO

CLIPACORE®

XPRESSCUT PRO



- 1 117mm core bit and quick release core adaptor
- 2 127mm core bit and quick release core adaptor
- 3 52mm core bit and quick release core adaptor
- 4 65mm core bit and quick release core adaptor
- 5 42mm core bit and quick release core adaptor
- 6 5 x Quick release clips
- 7 Waste removal knock out tool
- 8 1 x A taper 10mm guide pin and 1 x A taper 10mm drill bit
- 9 200mm long HEX extension, quick release drill adaptor
- 10 200mm long SDS extension, quick release drill adaptor
- 11 Drift key
- 12 Compact aluminium carry case with foam lined interior

**Clipacore
XPRESSCUT PRO
is a 23 Piece
Professional
dry diamond
core kit.**

The kit includes..

5 x Clipacore core adaptors
5 x Quick release clips
1 x HEX extension bar with Clipacore drill adaptor
1 x SDS extension bar with Clipacore drill adaptor
1 x Clipacore Knock out waste removal tool
1 x A taper 10mm guide pin
1 x A taper 10mm drill bit
1 x Drift Key

5 x XPRESSCUT quick release premier Diamond core bits
- 42mm / 52mm / 65mm / 117mm / 127mm with spiral and
slotted barrels helping remove debris and increases air
flow to the cutting edge. The high quality diamonds and
UK developed metal bond system provides trouble free
cutting for most UK building materials.

CODE	DESCRIPTION	RRP
QCXPP	Clipacore Xpresscut Pro Case Kit	£329.99




For more details go to...

www.clipacore.com
enquiries@clipacore.com



CLIPACORE[®]


DUOCUT



SYMMETRICALLY
ENLARGES CORE HOLES




SPRING LOADED CORE
BIT FOR EASY REMOVAL



PREVENTS CORE
BIT SKIDDING



IMPROVES WORK
FLOW EFFICIENCY



scan me


For more details go to...

www.clipacore.com

enquiries@clipacore.com

CLIPACORE[®]

CHUCKAWAY



Chuckaway Extension Bar

NOTE: THE CHUCK AWAY DRILL ADAPTOR IS PURPOSELY DESIGNED TO FIT INSIDE THE QUICK RELEASE CORE ADAPTORS OR QUICK RELEASE EXTENSION BAR.

- No Chuck or Chuck key
- Quick and Safe
- Maintenance free
- Quick release clip system
- High tensile steel built to last



Conventional Chuck Used Since 1902



Clipacore Drill Adaptors used since 2022

CODE	DESCRIPTION	RRP
QCCADA	Makita Core Drill adaptor	£13.99
QCCADAM18	Milwaukee DD2 160XE	£15.99
QCCAEB	Chuckaway Extension bar	£39.99

Chuckaway Extension Bar is compatible for use with the Core Adaptor, SDS Driver, HEX Driver, 1/2" 20 UNF, M18 & 1/2" Drill Adaptor (sold separately).



1/2" 20 UNF
Thread Measures
approx 12mm
QCCADA



M18 thread on
drill (when Chuck
is removed)
measures
approx. 18mm
QCCADAM18



scan me

Don't forget to keep in
touch on Social Media!




CLIPACORE[®]

XPRESSCUT

CODE	DESCRIPTION	RRP
QCXP22	22mm Xpresscut Core Bit prevents blowing the brickface or render wall compared to an SDS drill bit on hammer action	£39.99
QCXP28	28mm Xpresscut Core Bit prevents blowing the brickface or render wall compared to an SDS drill bit on hammer action	£45.99
QCXP42	42mm Xpresscut Core Bit suitable for use with 32mm solvent weld waste pipe elbow	£47.99
QCXP52	52mm Xpresscut Core Bit suitable for use with 40mm solvent weld waste pipe elbow and pipe snug wall fitting	£49.99
QCXP78	78mm Xpresscut Core Bit suitable for use with insulated condense pipe (32mm waste pipe & 19mm wall thickness insulation)	£54.99
QCXP127	127mm Xpresscut Core Bit suitable for use with boiler flue pipes	£69.99
QCXP152	152mm Xpresscut Core Bit suitable for use when recessing 110mm soil fittings into a wall and flue snug wall fitting	£79.99

We do not recommend using on Accrington red bricks, regarded as the hardest bricks ever manufactured due to their high iron content. Hammer action diamond core bits are available in all sizes designed for these bricks, ordered as a special.



CLIPACORE[®]

XPRESSCUT



Clipacore XPRESSCUT

Across the range of sizes sold separately, the core bits are spiralled and slotted barrels helping remove debris and increases air flow to the cutting edge.

The high quality diamonds and UK developed metal bond system provides trouble free cutting for most UK building materials.

- 1 – 1/2" BSP female thread
- 2 – Spiral and slotted barrel
- 3 – UK designed high quality diamond tips for UK building materials

MATERIAL	Regular use	Occasional use
Bricks - Class A Engineering		✓
Bricks - Class B Engineering	✓	
Bricks - Standard Facing	✓	
Clay Products		✓
Concrete - Beams, Kerbs, Pipes, Slabs		✓
Concrete Blocks (3 to 7 Newton)	✓	
Concrete Blocks (7 to 12 Newton)	✓	
Concrete Blocks (12+ Newton)	✓	

What do Engineering Bricks look like?

Engineering Bricks have a smooth finish with perforations through the top to the bottom. They are widely available in blue or red and are identifiable by their uniform shape.

Class A engineering bricks have a higher compressive strength over class B and are harder to drill.



scan me

For more details go to...


www.clipacore.com
enquiries@clipacore.com

CLIPACORE[®]

CONDENSEMATE

CLIPACORE[®]

CONDENSEMATE



Clipacore CONDENSEMATE

Clipacore Condensemata puts you in control when upgrading from overflow pipe to 32mm waste pipe (or larger).


The 300mm long core bit supplied, simply inserts into the existing open 22mm – 25mm hole (pipe fully removed). Once the outer core bit has scarred the wall, the inner long core bit serving as a guide can be removed by hand.

Our easy to use design ensures consistently symmetrical holes eliminating the risk of core bits skidding off course and damaging the wall. The inner spring loaded core bit removes the need for tools thus improving work-flow efficiency every time. The 22mm core bit can also be used on its own (with our smaller quick release core adaptor) to prevent blowing the brick face or render wall compared to using a 22mm SDS masonry drill bit on hammer action.


- ① 1/2" Drill / arbor adaptor
- ② Quick release clip
- ③ 1/2" Core bit thread
- ④ Outer Core Bit (sold separately see note)
- ⑤ Compression Spring
- ⑥ Inner Core Bit (22mm x 300mm long)

Two Cores One Revolution

CODE	DESCRIPTION	RRP
QCDCCON	Clipacore Condensemata	£73.97



Note: We strongly recommend the use of our 78mm core bit QCXP78 when using Condensemata to ensure a neat finish when insulating a 32mm condense pipe through the wall BS6798



scan me

For more details go to...

www.clipacore.com
enquiries@clipacore.com

Don't forget to keep in
touch on Social Media!



CLIPACORE®


THE BOSS DRILL



The Boss drill...

...is manufactured from the highest quality using German engineering standards and components. The Boss cuts through bricks, concrete blocks and much more consistently delivering high cutting performances with safety constantly in mind.

The unique quick release adaptor on the end of the drill allows fast interchangeable core bits without the need for tools when used with Clipacore core adaptors. The quick release extension bar supplied with every drill ensures most wall depths can be fully penetrated with ease.



CLIPACORE®

THE BOSS DRILL

**TWO
SPEED
GEARBOX**



Clipacore The Boss Drill Key Features

1. Clipacore Quick Release Drill Adaptor designed for interchangeable core bits
2. Variable Handle Adjustment on Collar
3. Powerful 2 speed gear box 1,000 RPM / 2,000 RPM
4. Electronic Soft Start Temperature Control and Current Cut-Off
5. Mechanical Safety Clutch
6. Available in 230v or 110v
7. Quick release extension bar (supplied)

CODE	DESCRIPTION	RRP
QCTBD110V	110V Core Drill	£510.00
QCTBD240V	230v Core Drill	£510.00



scan me

For more details go to...

www.clipacore.com
enquiries@clipacore.com

Don't forget to keep in
touch on Social Media!



CLIPACORE[®]

SAFETY GLOVES



1. Soft leather with integrated foam pads to help absorb vibration
2. Flexible reinforced rubber for added protection
3. Velcro wrist strap
4. Kevlar lined for added durability and comfort

Helps combat the irreversible negative effects associated with vibration when core drilling (HAVS and CTR).

**DON'T RISK
DAMAGING
YOUR MOST
IMPORTANT
TOOLS!**



CODE	DESCRIPTION	RRP
QCSG	Safety Gloves	£19.95

One size XL





scan me

For more details go to...

www.clipacore.com
enquiries@clipacore.com

CLIPACORE[®]

XPRESSCUT MICRO



Integrated wax cooling core



Vacuum brazed exposed heavy duty diamonds

**Micro
precision
drilling**

Xpresscut Micro is currently available in 6mm & 7mm diameters for drilling a wide variety of tiles (see compatibility guide opposite).

1. Easy fit hexagonal shank with laser etched diameter
2. Vacuum brazed exposed heavy duty diamonds
3. Integrated wax cooling core

CODE	DESCRIPTION	RRP
QCXPM6	6mm Xpresscut Micro Core Bit	£15.99
QCXPM7	7mm Xpresscut Micro Core Bit	£16.99

MATERIAL	Regular use
Marble	✓
Granite	✓
Quarry	✓
Limestone	✓
Porcelain	✓
Ceramic	✓
Slate & Terracotta	✓



scan me

Don't forget to keep in touch on Social Media!




CLIPACORE[®]

FLUEMATE

CLIPACORE[®]

FLUEMATE





- 1 – Drill /arbor adaptor
- 2 – Quick release clip
- 3 – Duocut adaptor
- 4 – 117mm core bit or greater (not supplied)
- 5 – Compression spring
- 6 – 94mm barrel guide

CODE	DESCRIPTION	RRP
QCFM	Fluemate	£69.99

How to use:


- Remove the inner 2" plastic flue pipe from the 4" aluminium flue pipe
- Check the barrel guide fits inside the redundant flue pipe
- Mount a 117mm core bit or greater onto the long threaded stub (lubricating long thread with lubricant spray is recommended for first use)
- Drop compression spring onto remainder of threaded stub
- Mount the barrel guide Hand tight only until it reaches the compression spring
- Insert barrel guide into flue pipe
- Prior to drilling, check drill handle is correctly positioned and firmly tightened
- Adopt a comfortable and safe footing
- Commence drilling until outer core bit has scarred wall approx. 25mm deep
- Remove drill from flue pipe
- Remove the barrel guide and spring
- Continue drilling new hole until through
- Ensure the long threaded stub remains free from dirt and debris before each use and suitably store



UPGRADING
BOILER FLUE
PIPES HAS
NEVER BEEN
EASIER!

- Safe to use when working at height
- Scars the wall symmetrical to existing flue pipe and avoids skidding off course
- Can be used with a variety of commonly used core bits
- Spring loaded barrel for fast removal once wall is scarred

Fluemate comes with a 1/2" drill/ arbor adaptor, DuoCut adaptor with clip, compression spring, 94mm barrel guide.



scan me

For more details go to...

www.clipacore.com
enquiries@clipacore.com